



# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/8

## Rix Alto SYN-V Engine Oil 5W/30 Fully Synthetic

Revision 3

Revision date 2013-12-11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Rix Alto SYN-V Engine Oil 5W/30 Fully Synthetic
--------------	---

#### 1.3. Details of the supplier of the safety data sheet

Company	Rix Petroleum Limited
Address	Witham House 45 Spyvee Street Hull HU8 7JR United Kingdom

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	R52/53 Symbols:
Main hazards	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 2.2. Label elements

Risk phrases	The product is classified in accordance with 67/548/EEC.
	R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 2.3. Other hazards

Other hazards	No other known hazards.
---------------	-------------------------

#### Further information

--	--

# Rix Alto SYN-V Engine Oil 5W/30 Fully Synthetic

Revision 3

Revision date 2013-12-11

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

### 3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Distillates (petroleum) hydrotreated havy paraffinic YU		64742-54-7	265-157-1		20 - 30%	
BASE OLAZ		74869-22-0	278-012-2		20 - 30%	
1-decene,hohomopolymer,hydroge nated (hydrogenated polydecene)		68037-01-4	500-183-1		30 - 40%	
reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)p ropionate	607-530-00-7	125643-61-0	406-040-9		1 - 10%	R53
CALCIUM LONG CHAIN ALKYL PHENATE SULPHIDE					1 - 10%	R53
LONG CHAIN ALKYL ACID			272-028-3		1 - 10%	
ZINC ALKYL DITHIOPHOSPHATE			272-028-3		1 - 10%	Xi; R38-41 N; R51/53

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Do not breathe vapours.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact	May cause irritation to skin and eyes.
Ingestion	DO NOT INDUCE VOMITING. Ingestion may cause nausea and vomiting.

### 4.3. Indication of any immediate medical attention and special treatment needed

Skin contact	Wash with soap and water.
--------------	---------------------------

# Rix Alto SYN-V Engine Oil 5W/30 Fully Synthetic

Revision 3

Revision date 2013-12-11

Ingestion	If you feel unwell, seek medical advice (show the label where possible).
-----------	--

## Further information

	No action shall be taken involving any personal risk or without suitable training.
--	--

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Use an extinguishing agent suitable for the surrounding fire. Carbon dioxide (CO <sub>2</sub> ). Sand.
--	--

### 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes. Do not allow runoff water to enter sewers or drains.
--	--

### 5.3. Advice for firefighters

	Proper protective equipment including breathing apparatus must be worn when approaching a fire in a confined space. Do NOT use water jet.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--

### 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe to do so.
--	--

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

### 6.4. Reference to other sections

	Please always refer to sections 2 and 16.
--	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. Temperature: 0 - 50 °C.
--	--

### 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

### 7.3. Specific end use(s)

# Rix Alto SYN-V Engine Oil 5W/30 Fully Synthetic

Revision 3

Revision date 2013-12-11

Please use this product as indicated in sections 1 and 2. If you are uncertain please contact us immediately as not using the product in the right way could be dangerous for your health and machinery.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

1-decene, homopolymer, hydrogenated (hydrogenated polydecene)	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m <sup>3</sup> : 5
	WEL 15 min limit ppm:	WEL 15 min limit mg/m <sup>3</sup> :
BASE OLAZ	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m <sup>3</sup> : 5
	WEL 15 min limit ppm:	WEL 15 min limit mg/m <sup>3</sup> : 10
Distillates (petroleum) hydrotreated heavy paraffinic YU	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m <sup>3</sup> : 5
	WEL 15 min limit ppm:	WEL 15 min limit mg/m <sup>3</sup> :

### 8.2. Exposure controls



8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear chemical protective clothing.

Eye / face protection

Approved safety goggles.

Skin protection -

Chemical resistant gloves (PVC).

Hand protection

Respiratory protection

Wear.. Suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

## Rix Alto SYN-V Engine Oil 5W/30 Fully Synthetic

Revision 3

Revision date 2013-12-11

## 9.1. Information on basic physical and chemical properties

State	Liquid
Colour	Amber
Odour	Mild
pH	Not applicable.
Melting point	-30
Freezing Point	-30
Boiling point	> 200
Flash point	> 200
Evaporation rate	No data available
Flammability limits	No data available
Vapour Flammability	No data available
Vapour pressure	< 0.1
Vapour density	> 1
Relative density	0.83 - 0.9
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	> 320
Viscosity	71
Explosive	Stable under normal conditions
Oxidising	Not considered oxidising
Solubility	Insoluble in water

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Pour point	-45
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Stable under normal temperature conditions and recommended use.

## 10.2. Chemical stability

GENERAL INFORMATION. This product has low toxicity. Only large volumes may have adverse effects

## Rix Alto SYN-V Engine Oil 5W/30 Fully Synthetic

Revision 3

Revision date 2013-12-11

	Stable under normal conditions
10.3. Possibility of hazardous reactions	
	Do not mix the product with other materials.
10.4. Conditions to avoid	
	Store at temperatures between 0 °C and 50 °C.
10.5. Incompatible materials	
	Strong oxidising agents.
10.6. Hazardous decomposition products	
	Combustion or thermal decomposition could liberate carbon oxides and other toxic gases or vapours.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

## 11.1. Information on toxicological effects

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Repeated or prolonged exposure	impact on human health.
	May cause sensitisation by skin contact.
	May cause temporary eye irritation.
	Unlikely to be hazardous by inhalation because of the low vapour pressure of the substance at ambient temperature.
	Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

## 11.1.4. Toxicological Information

1-decene,hohomopolymer,hydrogenated (hydrogenated polydecene)	Inhalation Rat LC50/4 h: 5.2 Oral Rat LD50: >5000	Dermal Rat LD50: >2000
BASE OLAZ	Inhalation Rat LC50/30min: >5.53 Oral Rat LD50: >5000	Dermal Rat LD50: >2000
Distillates (petroleum) hydrotreated havy paraffinic YU	Dermal Rat LD50: >2000	Oral Rat LD50: >5000

Information given is based on data on the components and the toxicology of similar products.

## Rix Alto SYN-V Engine Oil 5W/30 Fully Synthetic

Revision 3

Revision date 2013-12-11

## SECTION 12: Ecological information

## 12.1. Toxicity

1-decene, hohomopolymer, hydrogenated (hydrogenated polydecene)	Daphnia LC50/48h: 1000	
BASE OLAZ	Daphnia EC50/48h: 101.0000 mg/l Fish LC50/96h: 101.0000 mg/l	Algae IC50/72h: 101.0000 mg/l
Distillates (petroleum) hydrotreated havy paraffinic YU	Fish LC50/96h: 100.0000 mg/l	Green Algae EC50/48h: 100
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	Fish LC50/96h: 100 mg/l Daphnia LC50/48h: 100	Algae EC50/72h: 100

## 12.2. Persistence and degradability

The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

## 12.3. Bioaccumulative potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

## 12.4. Mobility in soil

No data is available on this product. The product is non-volatile. The product is insoluble in water and will spread on the water surface.

## 12.5. Results of PBT and vPvB assessment

Not applicable.

## 12.6. Other adverse effects

May cause long-term adverse effects in the environment.

## Further information

Information given is based on data on the components and the toxicology of similar products.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Waste Code : 13 XX XX OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19) Code given as a guidance only it could vary from different

## 13.1. Waste treatment methods

products and the way they were used.

## General information

Print date 2013-12-11

## Rix Alto SYN-V Engine Oil 5W/30 Fully Synthetic

Revision 3

Revision date 2013-12-11

	Dispose of in compliance with all local and national regulations.
--	---

## Disposal of packaging

	Dispose of in compliance with all local and national regulations.
--	---

## SECTION 14: Transport information

## ADR/RID

	The product is not classified as dangerous for carriage.
--	--

## IMDG

	The product is not classified as dangerous for carriage.
--	--

## IATA

	The product is not classified as dangerous for carriage.
--	--

## Further information

	The product is not classified as dangerous for carriage.
--	--

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

	UK Regulatory References. Health and Safety at Work Act 1974. Statutory Instruments. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice.Safety Data Sheets for Substances and Preparations. Guidance Notes. Workplace Exposure Limits EH40. EU Legislation. Dangerous Preparations Directive 1999/45/EC. Dangerous Substance Directive 67/548/EEC.
--	--

## 15.2. Chemical safety assessment

	No chemical safety assessment has been carried out.
--	---

## SECTION 16: Other information

## Other information

Revision	This document differs from the previous version in the following areas:
Text of risk phrases in Section 3	2 - Further information. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R53 - May cause long-term adverse effects in the aquatic environment.

## Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--